


圧力管路用ポリコンFRP管(直管4m管)

[強化プラスチック複合管協会規格K-111A.
日本工業規格JIS A 5350準拠(農林水産省土地改良事業計画設計基準対象管種)]


製品



構造図



施工例



(単位:円)

呼び径	内圧管(有効長 4,000mm)				
	1種	2種	3種	4種	5種
200	76,100	69,200	62,900	61,600	60,400
250	88,500	80,500	73,200	71,700	70,300
300	118,100	107,400	97,600	95,700	93,800
350	148,100	134,600	122,400	120,000	117,600
400	170,900	155,400	141,300	138,500	135,800
450	197,200	179,300	163,000	159,800	156,600
500	202,800	184,400	167,600	164,300	161,100
600	273,500	248,700	230,600	217,500	213,200
700	357,700	325,200	290,400	278,500	273,100
800	418,000	380,000	334,300	323,500	317,200
900	529,300	481,200	398,700	382,200	374,700
1000	635,600	577,900	487,300	467,600	458,400
1100	747,500	679,500	581,000	562,500	551,500
1200	870,600	791,500	694,700	681,100	667,800
1350	1,034,900	940,800	813,000	797,000	781,400
1500	1,276,900	1,160,800	1,055,300	1,034,600	1,014,300
1650	1,614,500	1,467,800	1,334,300	1,308,200	1,282,500
1800	1,857,300	1,688,500	1,535,000	1,504,900	1,475,400
2000	2,242,300	2,038,500	1,853,200	1,816,800	1,781,200
2200	—	2,398,600	2,180,500	2,137,800	2,095,900
2400	—	—	2,744,400	2,690,600	2,637,800
2600	—	—	3,209,000	3,146,100	3,084,400
2800	—	—	3,747,300	3,673,800	3,601,800
3000	—	—	4,300,400	4,216,100	4,133,400


【備考】

- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②価格は工場渡しで運賃は別途申し受けます(製品寸法により特車運賃と誘導車両の費用を申し受けます)
- ③滑剤・接着剤は別途お買上げ下さい(P241 参照)
- ④特殊品については別途見積もりさせていただきます
- ⑤呼び径 2400 以上は少量の場合割高になる可能性があります

圧力管路用ポリコンFRP管(直管6m管)

【強化プラスチック複合管協会規格K-111A
日本工業規格JIS A 5350準拠(農林水産省土地改良事業計画設計基準対象管種)】


製品



構造図



施工例



(単位:円)


呼び径	内圧管(有効長 6,000mm)				
	1種	2種	3種	4種	5種
200	129,400	117,700	107,000	104,800	102,700
250	150,500	136,900	124,500	121,900	119,600
300	200,800	182,600	166,000	162,700	159,500
350	251,800	228,900	208,100	204,000	200,000
400	290,600	264,200	240,300	235,500	230,900
450	335,300	304,900	277,100	271,700	266,300
500	344,800	313,500	285,000	279,400	273,900
600	465,000	422,800	392,100	369,800	362,500
700	608,100	552,900	493,700	473,500	464,300
800	710,600	646,000	568,400	550,000	539,300
900	899,900	818,100	677,800	649,800	637,000
1000	1,080,600	982,500	828,500	795,000	779,300
1100	1,270,800	1,155,200	987,700	956,300	937,600
1200	1,480,100	1,345,600	1,181,000	1,157,900	1,135,300
1350	1,759,400	1,599,400	1,382,100	1,354,900	1,328,400
1500	2,170,800	1,973,400	1,794,100	1,758,900	1,724,400
1650	2,744,700	2,495,300	2,268,400	2,224,000	2,180,300
1800	3,157,500	2,870,500	2,609,500	2,558,400	2,508,200
2000	3,812,000	3,465,500	3,150,500	3,088,600	3,028,100

【備考】


- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②価格は工場渡しで運賃は別途申し受けます(製品寸法により特車運賃と誘導車両の費用を申し受けます)
- ③滑剤・接着剤は別途お買上げ下さい(P241 参照)
- ④特殊品については別途見積もりさせていただきます

圧力管路用ポリコンFRP管同質曲管

製品



構造図



施工例



(単位: 円)


呼び径	圧力管路用ポリコンFRP管同質曲管 内圧3種					呼び径	圧力管路用ポリコンFRP管同質曲管 内圧4種 〔強化プラスチック複合管協会K-1112規格品〕				
	90°	60°	45°	22° 1/2	11° 1/4		90°	60°	45°	22° 1/2	11° 1/4
200	94,500	69,300	69,300	45,400	45,400	200	92,400	67,800	67,800	44,400	44,400
250	121,000	87,800	87,800	58,000	58,000	250	118,600	85,900	85,900	56,800	56,800
300	155,100	115,500	115,500	77,600	77,600	300	151,700	113,200	113,200	75,900	75,900
350	191,800	141,800	141,800	97,600	97,600	350	188,300	139,200	139,200	95,800	95,800
400	227,500	169,500	169,500	119,000	119,000	400	223,200	166,400	166,400	116,800	116,800
450	267,300	200,800	200,800	140,300	140,300	450	262,500	197,100	197,100	137,700	137,700
500	290,700	219,600	219,600	159,300	159,300	500	282,000	213,000	213,000	154,700	154,700
600	480,100	359,200	359,200	286,100	286,100	600	453,100	339,000	339,000	270,200	270,200
700	638,800	492,100	492,100	377,200	377,200	700	613,200	472,500	472,500	361,900	361,900
800	778,700	590,900	590,900	447,700	447,700	800	753,300	571,500	571,500	433,200	433,200
900	960,600	735,800	735,800	539,900	539,900	900	921,000	705,800	705,800	517,900	517,900
1000	1,184,800	918,100	918,100	674,400	674,400	1000	1,137,000	880,900	880,900	647,300	647,300
1100	1,431,900	1,079,600	1,079,600	800,000	800,000	1100	1,391,000	1,063,400	1,063,400	777,000	777,000
1200	1,741,800	1,342,300	1,342,300	982,500	982,500	1200	1,708,700	1,316,600	1,316,600	963,700	963,700
1350	2,051,900	1,563,700	1,563,700	1,137,100	1,137,100	1350	2,016,300	1,536,400	1,536,400	1,117,400	1,117,400
1500	2,730,800	2,151,700	2,151,700	1,550,000	1,550,000	1500	2,727,500	2,149,000	2,149,000	1,548,100	1,548,100
1650	3,393,700	2,809,500	2,809,500	1,875,000	1,875,000	1650	3,329,100	2,559,700	2,559,700	1,839,200	1,839,200
1800	3,990,900	3,106,800	3,106,800	2,199,600	2,199,600	1800	3,914,600	3,047,400	3,047,400	2,157,500	2,157,500
2000	4,860,400	3,814,300	3,814,300	2,712,300	2,712,300	2000	4,767,100	3,741,100	3,741,100	2,660,100	2,660,100
2200	—	4,684,500	4,684,500	3,243,200	3,243,200	2200	—	4,591,500	4,591,500	3,178,900	3,178,900
2400	—	—	—	4,079,700	4,079,700	2400	—	—	—	4,000,800	4,000,800
2600	—	—	—	4,767,700	4,767,700	2600	—	—	—	4,678,200	4,678,200
2800	—	—	—	—	5,328,000	2800	—	—	—	—	5,224,900

【備考】


- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②適応管種はそれぞれ内圧3種・4種(最大設計内圧0.70Mpa・0.50Mpa)です
- ③L寸は同質曲管仕様書(F01-0523)の標準寸法図を適用します
- ④特殊品は別途見積もりさせていただきます
- ⑤滑剤・接着剤は別途お買上げ下さい(P241 参照)
- ⑥価格は工場渡しで運賃は別途申し受けます(製品寸法により特車運賃と誘導車両の費用を申し受けます)

圧力管路用ポリコンFRP管 NB曲管

製品



構造図



施工例



呼び径	NB曲管FRPM内圧3種					NB曲管FRPM内圧4種				
	90°	60°	45°	22° 1/2	11° 1/4	90°	60°	45°	22° 1/2	11° 1/4
200	—	—	—	—	—	200	—	—	—	—
250	—	—	—	—	—	250	—	—	—	—
300	—	—	—	—	—	300	—	—	—	—
350	—	—	—	—	—	350	—	—	—	—
400	—	—	—	—	—	400	—	—	—	—
450	—	—	—	—	—	450	—	—	—	—
500	319,700	241,600	241,600	175,300	175,300	500	310,200	234,300	234,300	170,100
600	528,000	395,400	395,400	315,100	315,100	600	498,300	373,100	373,100	297,200
700	702,700	541,400	541,400	414,500	414,500	700	674,400	519,600	519,600	398,000
800	856,800	650,000	650,000	492,500	492,500	800	828,700	628,800	628,800	476,500
900	1,056,500	809,300	809,300	593,900	593,900	900	1,013,100	733,900	733,900	569,700
1000	1,303,300	1,009,600	1,009,600	742,000	742,000	1000	1,250,800	969,000	969,000	712,000
1100	1,575,000	1,204,200	1,204,200	879,600	879,600	1100	1,530,200	1,169,900	1,169,900	854,700
1200	1,916,300	1,476,300	1,476,300	1,080,700	1,080,700	1200	1,879,800	1,448,500	1,448,500	1,060,000
1350	2,257,200	1,720,200	1,720,200	1,251,100	1,251,100	1350	2,217,800	1,690,000	1,690,000	1,229,200
1500	3,003,800	2,367,000	2,367,000	1,705,000	1,705,000	1500	3,000,200	2,363,900	2,363,900	1,703,000
1650	3,733,100	2,870,200	2,870,200	2,062,500	2,062,500	1650	3,661,900	2,815,800	2,815,800	2,023,300
1800	4,390,000	3,417,400	3,417,400	2,419,200	2,419,200	1800	4,306,200	3,351,900	3,351,900	2,373,000
2000	5,346,500	4,195,900	4,195,900	2,983,300	2,983,300	2000	5,243,800	4,115,400	4,115,400	2,925,800
2200	—	5,152,700	5,152,700	3,567,400	3,567,400	2200	—	5,050,400	5,050,400	3,496,500
2400	—	—	—	4,487,900	4,487,900	2400	—	—	—	4,400,700
2600	—	—	—	5,244,400	5,244,400	2600	—	—	—	5,145,900
2800	—	—	—	—	5,861,000	2800	—	—	—	5,747,500


【備考】

- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②適応管種はそれぞれ内圧3種・4種(最大設計内圧0.70Mpa・0.50Mpa)です
- ③L寸はNB曲管仕様書(F01-0505)の標準寸法図を適用します
- ④特殊品については別途見積もりさせていただきます
- ⑤滑剤・接着剤は別途お買上げ下さい(P241参照)
- ⑥価格は工場渡しで運賃は別途申し受けます(製品寸法により特車運賃と誘導車両の費用を申し受けます)


内挿圧力管路用薄肉ポリコンFRP管

[強化プラスチック複合管協会規格 FRPM K-1111L]


製品



構造図



施工例



※表記価格は標準的な口径です。50ミリ単位での生産が可能です。

(単位:円)

呼び径	厚さ (mm)	有効長 4,000mm		
		3種	4種	5種
600	7.5	213,500	201,200	197,300
700	8.5	268,500	257,500	252,500
800	10.0	309,000	298,800	293,300
900	11.0	368,500	353,500	346,200
1000	12.0	450,500	432,200	423,700
1100	13.5	537,000	520,000	509,600
1200	14.5	642,200	629,600	617,100
1350	16.5	751,400	736,600	722,300
1500	18.0	941,300	948,100	929,600
1650	20.0	1,211,800	1,199,000	1,175,400
1800	22.0	1,394,000	1,379,300	1,352,000

呼び径	厚さ (mm)	有効長 4,000mm		
		3種	4種	5種
2000	24.0	1,592,300	1,560,800	1,530,300
2100	25.5	1,736,100	1,700,600	1,668,800
2200	26.5	1,873,200	1,836,900	1,800,800
2300	28.0	2,172,300	2,140,300	2,095,100
2400	29.0	2,357,700	2,311,500	2,266,100
2500	30.0	2,532,200	2,495,600	2,448,300
2600	31.5	2,756,900	2,702,700	2,649,800
2700	32.5	2,838,200	2,780,800	2,758,500
2800	34.0	3,066,100	3,018,800	2,979,100
2900	35.0	3,261,100	3,209,600	3,165,900
3000	36.0	3,533,800	3,464,700	3,396,600

【備考】

- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②価格は工場渡しで運賃は別途申し受けます(製品寸法により特車運賃と誘導車両の費用を申し受けます)
- ③滑剤・接着剤は別途お買上げ下さい(P241 参照)
- ④特殊品については別途見積もりさせていただきます
- ⑤呼び径 2300 以上は少量の場合割高になる可能性があります

内挿圧力管路用薄肉ポリコンFRP管 同質曲管

(単位:円)

呼び径	内圧3種	内圧4種
	$0^\circ < \theta \leq 30^\circ$	$0^\circ < \theta \leq 30^\circ$
600	286,100	270,200
700	377,200	361,900
800	447,700	433,200
900	539,900	517,900
1000	674,400	647,300
1100	800,000	777,000
1200	982,500	963,700
1350	1,137,100	1,117,400
1500	1,550,000	1,548,100
1650	1,875,000	1,839,200
1800	2,199,600	2,157,500
2000	2,712,300	2,660,100
2200	3,243,200	3,178,900
2400	4,079,700	4,000,800
2600	4,767,700	4,678,200
2800	5,328,000	5,224,900
3000	6,140,700	5,996,600

【備考】

- ①価格はソケット(継手)とゴム輪付きの定尺1本当たりです
- ②適応管種はそれぞれ内圧3種・4種(最大設計内圧0.70Mpa・0.50Mpa)です
- ③L寸は内挿用強化プラスチック複合管内圧管同質曲管仕様書(F01-0570-05)の標準寸法図を適用します
- ④特殊品については別途見積もりさせていただきます
- ⑤滑剤・接着剤は別途お買上げ下さい(P241 参照)
- ⑥価格は工場渡しで、運賃は別途特車運賃と誘導車両の費用を申し受けます