



不断水分岐工法 割T字管

割T字管B型 ダクタイル鋳鉄管用 BCP-P






〈ダクタイル鋳鉄製・全周パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
75 × 75	82,900	14.84	124.5	75	209	4-19	4-M16×85
100 × 75	97,210	18.20	142.0	80	264	4-19	6-M16×85
100 × 100	116,670	19.49	132.0	70	264	4-19	6-M16×85
125 × 75	108,810	18.61	154.5	80	264	4-19	6-M16×85
125 × 100	117,330	22.50	144.5	70	264	4-19	6-M16×85
150 × 75	118,990	21.59	173.0	85	268	4-19	6-M16×85
150 × 100	125,800	23.40	163.0	75	268	4-19	6-M16×85
150 × 150	166,520	32.09	198.0	110	348	6-19	6-M20×90
200 × 75	171,620	25.83	203.5	90	268	4-19	6-M20×90
200 × 100	174,970	26.97	198.5	85	268	4-19	6-M20×90
200 × 150	181,050	36.50	223.5	110	398	6-19	8-M20×90
200 × 200	228,120	46.49	208.5	95	398	8-19	8-M20×90

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管B型 ダクタイル鋳鉄管用・鋳鉄管(吋管)用 BCD-P・BBD-P




〈ダクタイル鋳鉄製・分岐部パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
250(10B) × 75	206,250	36.00	243.0	100	340	4-19	9-M20×110
250(10B) × 100	212,470	33.80	233.0	90	340	4-19	9-M20×110
250(10B) × 150	221,500	46.60	258.0	115	450	6-19	12-M20×110
250(10B) × 200	234,250	51.00	243.0	100	450	8-19	12-M20×110
300(12B) × 75	219,160	37.00	269.0	100	340	4-19	9-M20×110
300(12B) × 100	228,200	38.40	259.0	90	340	4-19	9-M20×110
300(12B) × 150	238,450	52.00	284.0	115	450	6-19	12-M20×110
300(12B) × 200	249,840	54.50	269.0	100	450	8-19	12-M20×110
350(14B) × 75	267,640	40.60	296.0	100	340	4-19	9-M20×110
350(14B) × 100	281,080	40.00	286.0	90	340	4-19	9-M20×110
350(14B) × 150	289,310	56.00	311.0	115	450	6-19	12-M20×110
350(14B) × 200	297,500	59.86	296.0	100	450	8-19	12-M20×110
400(16B) × 75	322,090	48.00	327.5	105	340	4-19	9-M20×110
400(16B) × 100	331,560	49.00	317.5	95	340	4-19	9-M20×110
400(16B) × 150	344,230	66.00	337.5	115	450	6-19	12-M20×110
400(16B) × 200	362,360	68.35	322.5	100	450	8-19	12-M20×110

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管M型 ダクタイル鋳鉄管用 MC/10





〈ダクタイル鋳鉄製・全周パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	L1	N-E	A T頭ボルト・ナット	B T頭ボルト・ナット
250 × 75	239,610	102.0	233.0	95	400	556	4-19	8-M20×100	16-M20×100
250 × 100	244,010	106.0	233.0	95	400	556	4-19	8-M20×100	16-M20×100
250 × 150	253,210	110.0	248.0	110	400	556	6-19	8-M20×100	16-M20×100
250 × 200	558,160	160.0	268.0	130	600	756	8-19	12-M20×100	16-M20×100
250 × 250	710,300	160.0	298.0	160	600	756	8-23	12-M20×100	16-M20×100
300 × 75	257,190	116.0	259.0	95	450	604	4-19	8-M20×100	16-M20×100
300 × 100	236,310	121.0	259.0	95	450	604	4-19	8-M20×100	16-M20×100
300 × 150	275,680	114.0	274.0	110	450	604	6-19	8-M20×100	16-M20×100
300 × 200	282,440	126.0	294.0	130	450	604	8-19	8-M20×100	16-M20×100
300 × 250	757,020	180.0	324.0	160	600	754	8-23	12-M20×100	16-M20×100
300 × 300	792,170	190.0	324.0	160	600	754	10-23	12-M20×100	16-M20×100
350 × 75	317,100	136.0	285.0	95	450	602	4-19	8-M20×100	20-M20×100
350 × 100	326,730	143.0	285.0	95	450	602	4-19	8-M20×100	20-M20×100
350 × 150	337,110	146.0	300.0	110	450	602	6-19	8-M20×100	20-M20×100
350 × 200	341,680	170.0	320.0	130	550	702	8-19	10-M20×100	20-M20×100
350 × 250	512,420	207.0	340.0	150	550	702	8-23	10-M20×100	20-M20×100
350 × 300	1,319,790	252.0	350.0	160	800	952	10-23	16-M20×100	20-M20×100
350 × 350	1,373,310	250.0	350.0	160	800	952	10-25	16-M20×100	20-M20×100
400 × 75	373,920	145.0	315.5	100	450	620	4-19	8-M20×110	24-M20×110
400 × 100	388,070	167.0	315.5	100	450	620	4-19	8-M20×110	24-M20×110
400 × 150	410,470	153.8	330.5	115	450	620	6-19	8-M20×110	24-M20×110
400 × 200	418,690	191.0	345.5	130	550	720	8-19	10-M20×110	24-M20×110
400 × 250	652,000	253.0	365.5	150	550	720	8-23	10-M20×110	24-M20×110
400 × 300	679,170	256.0	365.5	150	550	720	10-23	10-M20×110	24-M20×110
400 × 350	1,486,060	305.0	375.5	160	800	970	10-25	16-M20×110	24-M20×110
400 × 400	1,552,350	300.0	375.5	160	800	970	12-25	16-M20×110	24-M20×110
450 × 75	417,300	259.0	346.0	105	450	618	4-19	8-M20×110	24-M20×110
450 × 100	435,970	266.0	346.0	105	450	618	4-19	8-M20×110	24-M20×110
450 × 150	452,430	268.0	361.0	120	450	618	6-19	8-M20×110	24-M20×110
450 × 200	473,660	292.0	371.0	130	600	768	8-19	12-M20×110	24-M20×110
450 × 250	672,080	321.0	391.0	150	600	768	8-23	12-M20×110	24-M20×110
450 × 300	708,810	314.0	391.0	150	600	768	10-23	12-M20×110	24-M20×110
450 × 350	1,865,700	322.0	401.0	160	600	768	10-25	12-M20×110	24-M20×110
450 × 400	1,951,900	390.0	401.0	160	1000	1168	12-25	20-M20×110	24-M20×110
450 × 450	2,031,270	395.0	401.0	160	1000	1168	12-27	20-M20×110	24-M20×110
500 × 75	572,170	283.0	371.5	105	450	616	4-19	8-M20×110	28-M20×110
500 × 100	579,700	290.0	371.5	105	450	616	4-19	8-M20×110	28-M20×110
500 × 150	596,540	292.0	386.5	120	450	616	6-19	8-M20×110	28-M20×110
500 × 200	608,300	345.0	397.0	130	600	766	8-19	12-M20×110	28-M20×110
500 × 250	880,920	351.0	417.0	150	600	766	8-23	12-M20×110	28-M20×110
500 × 300	932,680	355.0	417.0	150	600	766	10-23	12-M20×110	28-M20×110
500 × 350	974,200	383.0	427.0	160	750	916	10-25	16-M20×110	28-M20×110
500 × 400	2,004,420	386.0	427.0	160	750	916	12-25	16-M20×110	28-M20×110
500 × 450	2,176,040	430.0	437.0	170	1000	1166	12-27	20-M20×110	28-M20×110
500 × 500	2,207,520	450.0	437.0	170	1000	1166	12-27	20-M20×110	28-M20×110
600 × 75	667,120	330.0	428.0	110	450	634	4-19	8-M24×120	28-M20×120
600 × 100	675,090	338.0	428.0	110	450	634	4-19	8-M24×120	28-M20×120
600 × 150	692,650	342.0	438.0	120	450	634	6-19	8-M24×120	28-M20×120
600 × 200	702,220	372.0	453.0	135	600	784	8-19	10-M24×120	28-M20×120
600 × 250	1,039,520	378.0	468.0	150	600	784	8-23	10-M24×120	28-M20×120
600 × 300	1,099,870	384.0	468.0	150	600	784	10-23	10-M24×120	28-M20×120
600 × 350	1,148,880	448.0	478.0	160	800	984	10-25	16-M24×120	28-M20×120
600 × 400	1,468,670	476.0	482.0	160	800	984	12-25	16-M24×120	28-M20×120
600 × 450	1,723,080	498.0	492.0	170	800	984	12-27	16-M24×120	28-M20×120
600 × 500	3,205,850	520.0	497.0	175	1200	1384	12-27	20-M24×120	28-M20×120
600 × 600	3,283,750	530.0	502.0	180	1200	1384	16-27	20-M24×120	28-M20×120

*標準で付属しているボルト・ナットは合金ボルトです。

割T字管B型 塩化ビニル管・鋼管用 BV-P・BS-P





〈ダクタイル鋳鉄製・分岐部パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
75 × 75	85,420	15.68	122.5	76.5	300	4-19	6-M16×85
100 × 75	93,680	19.26	138.0	80.0	300	4-19	6-M20×90
100 × 100	114,210	20.21	128.0	70.0	340	4-19	6-M20×90
125 × 75	105,470	21.71	151.5	80.0	300	4-19	6-M20×90
125 × 100	122,980	23.36	141.5	70.0	340	4-19	6-M20×90
150 × 75	113,890	22.00	169.0	85.0	300	4-19	6-M20×90
150 × 100	130,420	24.84	159.0	75.0	340	4-19	6-M20×90
150 × 150	163,120	33.31	194.0	110.0	450	6-19	8-M20×90
200 × 75	167,860	25.81	199.5	90.0	300	4-19	6-M20×90
200 × 100	178,760	26.97	194.5	85.0	340	4-19	6-M20×90
200 × 150	191,710	42.80	219.5	110.0	450	6-19	8-M20×90
200 × 200	221,220	51.50	204.5	95.0	500	8-19	8-M20×100

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管M型 配水用ポリエチレン管用 MP 標準GF



〈ダクタイル鋳鉄製・全周パッキン〉

(mm)


呼び径	価格(円)	重量(kg)	S	S1	L	L1	N-E	A T頭ボルト・ナット	B T頭ボルト・ナット
75 × 75	179,410	30.00	135	90.0	386	440	4-19	8-M16×85	8-M16×65
100 × 75	202,270	40.00	140	77.5	424	470	4-19	8-M16×85	12-M16×65
100 × 100	220,950	41.40	150	87.5	424	470	4-19	8-M16×85	12-M16×65
150 × 75	249,920	52.40	175	85.0	488	528	4-19	10-M16×85	16-M16×65
150 × 100	263,100	55.20	175	85.0	488	528	4-19	10-M16×85	16-M16×65
150 × 150	286,080	57.40	205	115.0	488	528	6-19	10-M16×85	16-M16×65
200 × 75	449,500	65.00	215	90.0	507	548	4-19	8-M20×100	16-M20×65
200 × 100	472,680	68.00	215	90.0	507	548	4-19	8-M20×100	16-M20×65
200 × 150	504,170	81.00	240	115.0	607	648	6-19	12-M20×100	16-M20×65
200 × 200	556,240	83.00	240	115.0	607	648	8-19	12-M20×100	16-M20×65

*穿孔工事が特殊な為、事前にお問い合わせ願います。

*標準はGFです。フランジ接合材は別途ご用意ください

*標準付属しているボルト・ナットはAB共に合金フッ素樹脂塗装ボルトです。

割T字管B型 BC/01ダクタイル鋳鉄管用 BB/01鋳鉄管(時管)用 BV/01硬質塩化ビニル管用 BS/01鋼管用 BA/01石綿管用



〈鋼板製・分岐部パッキン〉

(mm)

呼び径	価格(円)	S						S ₁	L	T頭ボルト・ナット
		鋳鉄管2吋	鋳鉄管1.5吋	鋼管	塩ビ管	石綿管(新管)	石綿管(旧管)			
250(10B) × 75	195,760	257.0	262.5	255.0	255.0	272.0	275.0	120	360	8-M20×90
250(10B) × 100	216,880	257.0	262.5	255.0	255.0	272.0	275.0	120	450	10-M20×90
250(10B) × 150	226,510	267.0	272.5	265.0	265.0	282.0	285.0	130	450	10-M20×90
250(10B) × 200	310,980	267.0	272.5	265.0	265.0	282.0	285.0	130	600	12-M20×100
250(10B) × 250	502,040	287.0	292.5	※	※	※	※	150	700	12-M20×100
300(12B) × 75	208,920	282.5	289.0	280.5	280.5	300.0	304.0	120	360	8-M20×90
300(12B) × 100	230,630	282.5	289.0	280.5	280.5	300.0	304.0	120	450	10-M20×90
300(12B) × 150	259,170	292.5	299.0	290.5	290.5	310.0	314.0	130	450	10-M20×90
300(12B) × 200	325,040	292.5	299.0	290.5	290.5	310.0	314.0	130	600	12-M20×100
300(12B) × 250	542,880	312.5	319.0	310.5	310.5	330.0	334.0	150	700	12-M20×100
300(12B) × 300	618,420	312.5	319.0	※	※	※	※	150	800	16-M20×100
350(14B) × 75	255,410	308.5	316.0	299.0	306.5	330.0	335.0	120	360	8-M20×90
350(14B) × 100	264,130	308.5	316.0	299.0	306.5	330.0	335.0	120	450	10-M20×90
350(14B) × 150	275,080	318.5	326.0	309.0	316.5	340.0	345.0	130	450	10-M20×90
350(14B) × 200	343,410	318.5	326.0	309.0	316.5	340.0	345.0	130	600	12-M20×100
350(14B) × 250	560,520	338.5	346.0	329.0	336.5	360.0	365.0	150	700	12-M20×100
350(14B) × 300	663,910	338.5	346.0	329.0	336.5	360.0	365.0	150	800	16-M20×100
350(14B) × 350	757,960	348.5	356.0	※	※	※	※	160	900	16-M20×100
400(16B) × 75	283,420	334.0	342.5	324.5	331.5	360.0	365.0	120	360	8-M20×90
400(16B) × 100	300,840	334.0	342.5	324.5	331.5	360.0	365.0	120	450	10-M20×90
400(16B) × 150	314,850	344.0	352.5	334.5	341.5	370.0	375.0	130	450	10-M20×90
400(16B) × 200	356,790	344.0	352.5	334.5	341.5	370.0	375.0	130	600	12-M20×100
400(16B) × 250	578,170	364.0	372.5	354.5	361.5	390.0	395.0	150	700	12-M20×100
400(16B) × 300	708,110	364.0	372.5	354.5	361.5	390.0	395.0	150	800	16-M20×100
400(16B) × 350	770,770	374.0	382.5	364.5	371.5	400.0	405.0	160	900	16-M20×100
400(16B) × 400	865,540	374.0	382.5	※	※	※	※	160	1000	20-M20×100
450(18B) × 75	310,240	360.0	369.0	350.0	356.5	389.0	394.0	120	360	8-M20×90
450(18B) × 100	328,830	360.0	369.0	350.0	356.5	389.0	394.0	120	450	10-M20×90
450(18B) × 150	340,850	370.0	379.0	360.0	366.5	399.0	404.0	130	450	10-M20×90
450(18B) × 200	369,480	370.0	379.0	360.0	366.5	399.0	404.0	130	600	12-M20×100
450(18B) × 250	618,320	390.0	399.0	380.0	386.5	419.0	424.0	150	700	12-M20×100
450(18B) × 300	749,720	390.0	399.0	380.0	386.5	419.0	424.0	150	800	16-M20×100
450(18B) × 350	803,430	400.0	409.0	390.0	396.5	429.0	434.0	160	900	16-M20×100
450(18B) × 400	949,000	400.0	409.0	390.0	396.5	429.0	434.0	160	1000	20-M20×100
450(18B) × 450	1,194,020	410.0	419.0	※	※	※	※	170	1200	20-M20×100
500(20B) × 75	434,490	385.5	396.0	375.5	381.5	418.0	423.0	120	360	8-M20×90
500(20B) × 100	447,680	385.5	396.0	375.5	381.5	418.0	423.0	120	450	10-M20×90
500(20B) × 150	471,170	395.5	406.0	385.5	391.5	428.0	433.0	130	450	10-M20×90
500(20B) × 200	489,970	395.5	406.0	385.5	391.5	428.0	433.0	130	600	12-M20×100
500(20B) × 250	674,950	415.5	426.0	405.5	411.5	448.0	453.0	150	700	12-M20×100
500(20B) × 300	841,420	415.5	426.0	405.5	411.5	448.0	453.0	150	800	16-M20×100
500(20B) × 350	882,130	425.5	436.0	415.5	421.5	458.0	463.0	160	900	16-M20×100
500(20B) × 400	1,026,370	425.5	436.0	415.5	421.5	458.0	463.0	160	1000	20-M20×100
500(20B) × 450	1,302,390	435.5	446.0	425.5	431.5	468.0	473.0	170	1200	20-M20×100
500(20B) × 500	1,522,970	445.5	456.0	※	※	※	※	180	1200	20-M20×100
600(24B) × 75	512,310	437.0	448.5	426.5	433.0	477.0	482.0	120	360	8-M20×90
600(24B) × 100	533,380	437.0	448.5	426.5	433.0	477.0	482.0	120	450	10-M20×90
600(24B) × 150	543,920	447.0	458.5	436.5	443.0	487.0	492.0	130	450	10-M20×90
600(24B) × 200	573,880	447.0	458.5	436.5	443.0	487.0	492.0	130	600	12-M20×100
600(24B) × 250	769,520	467.0	478.5	456.5	463.0	507.0	512.0	150	700	12-M20×100
600(24B) × 300	887,940	467.0	478.5	456.5	463.0	507.0	512.0	150	800	16-M20×100
600(24B) × 350	909,470	477.0	488.5	466.5	473.0	517.0	522.0	160	900	16-M20×100
600(24B) × 400	1,107,250	477.0	488.5	466.5	473.0	517.0	522.0	160	1000	20-M20×100
600(24B) × 450	1,329,990	487.0	498.5	476.5	483.0	527.0	532.0	170	1200	20-M20×100
600(24B) × 500	1,708,420	497.0	508.5	556.5	563.0	537.0	542.0	180	1200	20-M20×100
700(27B) × 75	546,410	488.0	499.5	477.0	484.0	537.0	542.0	120	360	8-M20×90
700(27B) × 100	563,090	488.0	499.5	477.0	484.0	537.0	542.0	120	450	10-M20×90
700(27B) × 150	579,170	498.0	509.5	487.0	494.0	547.0	552.0	130	450	10-M20×90
700(27B) × 200	605,760	498.0	509.5	487.0	494.0	547.0	552.0	130	600	12-M20×100
700(27B) × 250	823,970	518.0	529.5	507.0	514.0	557.0	562.0	150	700	12-M20×100
700(27B) × 300	1,074,500	518.0	529.5	507.0	514.0	557.0	562.0	150	800	16-M20×100
700(27B) × 350	1,110,870	528.0	539.5	517.0	534.0	567.0	572.0	160	900	16-M20×100
700(27B) × 400	1,197,310	528.0	539.5	517.0	534.0	567.0	572.0	160	1000	20-M20×100
700(27B) × 450	1,360,210	538.0	549.5	527.0	544.0	577.0	582.0	170	1200	20-M20×100
700(27B) × 500	1,709,500	548.0	559.5	627.0	634.0	587.0	592.0	180	1200	20-M20×100
800(30B) × 75	613,490	539.5	550.5	527.5	544.0	587.0	592.0	120	360	8-M20×90
800(30B) × 100	617,930	539.5	550.5	527.5	544.0	587.0	592.0	120	450	10-M20×90
800(30B) × 150	633,380	549.5	560.5	537.5	554.0	597.0	602.0	130	450	10-M20×90
800(30B) × 200	672,020	549.5	560.5	537.5	554.0	597.0	602.0	130	600	12-M20×100
800(30B) × 250	849,170	569.5	580.5	557.5	574.0	607.0	612.0	150	700	12-M20×100
800(30B) × 300	1,130,430	569.5	580.5	557.5	574.0	607.0	612.0	150	800	16-M20×100
800(30B) × 350	1,171,350	579.5	590.5	567.5	584.0	617.0	622.0	160	900	16-M20×100
800(30B) × 400	1,529,690	579.5	590.5	567.5	584.0	617.0	622.0	160	1000	20-M20×100
800(30B) × 450	1,657,850	589.5	600.5	577.5	594.0	627.0	632.0	170	1200	20-M20×100
800(30B) × 500	1,902,570	599.5	610.5	687.5	704.0	637.0	642.0	180	1200	20-M20×100

*標準で付属しているボルト・ナットは酸化被膜付です。

*※はお問い合わせ下さい。