



不断水分岐工法 割T字管

割T字管B型 ダクタイル鋳鉄管用 BCP-P





〈ダクタイル鋳鉄製・全周パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
75 × 75	75,360	14.84	124.5	75	209	4-19	4-M16×85
100 × 75	88,370	18.20	142.0	80	264	4-19	6-M16×85
100 × 100	106,060	19.49	132.0	70	264	4-19	6-M16×85
125 × 75	98,920	18.61	154.5	80	264	4-19	6-M16×85
125 × 100	106,660	22.50	144.5	70	264	4-19	6-M16×85
150 × 75	108,170	21.59	173.0	85	268	4-19	6-M16×85
150 × 100	114,360	23.40	163.0	75	268	4-19	6-M16×85
150 × 150	151,380	32.09	198.0	110	348	6-19	6-M20×90
200 × 75	156,020	25.83	203.5	90	268	4-19	6-M20×90
200 × 100	159,060	26.97	198.5	85	268	4-19	6-M20×90
200 × 150	164,590	36.50	223.5	110	398	6-19	8-M20×90
200 × 200	207,380	46.49	208.5	95	398	8-19	8-M20×90

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管B型 ダクタイル鋳鉄管用・鋳鉄管(吋管)用 BCD-P・BBD-P





〈ダクタイル鋳鉄製・分岐部パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
250(10B) × 75	187,500	36.00	243.0	100	340	4-19	9-M20×110
250(10B) × 100	193,150	33.80	233.0	90	340	4-19	9-M20×110
250(10B) × 150	201,360	46.60	258.0	115	450	6-19	12-M20×110
250(10B) × 200	212,950	51.00	243.0	100	450	8-19	12-M20×110
300(12B) × 75	199,240	37.00	269.0	100	340	4-19	9-M20×110
300(12B) × 100	207,450	38.40	259.0	90	340	4-19	9-M20×110
300(12B) × 150	216,770	52.00	284.0	115	450	6-19	12-M20×110
300(12B) × 200	227,130	54.50	269.0	100	450	8-19	12-M20×110
350(14B) × 75	243,310	40.60	296.0	100	340	4-19	9-M20×110
350(14B) × 100	255,530	40.00	286.0	90	340	4-19	9-M20×110
350(14B) × 150	263,010	56.00	311.0	115	450	6-19	12-M20×110
350(14B) × 200	270,450	59.86	296.0	100	450	8-19	12-M20×110
400(16B) × 75	292,810	48.00	327.5	105	340	4-19	9-M20×110
400(16B) × 100	301,420	49.00	317.5	95	340	4-19	9-M20×110
400(16B) × 150	312,940	66.00	337.5	115	450	6-19	12-M20×110
400(16B) × 200	329,420	68.35	322.5	100	450	8-19	12-M20×110

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管M型 ダクタイル鋳鉄管用 MC/10




〈ダクタイル鋳鉄製・全周パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	L1	N-E	A T頭ボルト・ナット	B T頭ボルト・ナット
250 × 75	217,830	102.0	233.0	95	400	556	4-19	8-M20×100	16-M20×100
250 × 100	221,830	106.0	233.0	95	400	556	4-19	8-M20×100	16-M20×100
250 × 150	230,190	110.0	248.0	110	400	556	6-19	8-M20×100	16-M20×100
250 × 200	507,420	160.0	268.0	130	600	756	8-19	12-M20×100	16-M20×100
250 × 250	645,730	160.0	298.0	160	600	756	8-23	12-M20×100	16-M20×100
300 × 75	233,810	116.0	259.0	95	450	604	4-19	8-M20×100	16-M20×100
300 × 100	239,370	121.0	259.0	95	450	604	4-19	8-M20×100	16-M20×100
300 × 150	250,620	114.0	274.0	110	450	604	6-19	8-M20×100	16-M20×100
300 × 200	256,760	126.0	294.0	130	450	604	8-19	8-M20×100	16-M20×100
300 × 250	688,200	180.0	324.0	160	600	754	8-23	12-M20×100	16-M20×100
300 × 300	720,150	190.0	324.0	160	600	754	10-23	12-M20×100	16-M20×100
350 × 75	288,270	136.0	285.0	95	450	602	4-19	8-M20×100	20-M20×100
350 × 100	297,030	143.0	285.0	95	450	602	4-19	8-M20×100	20-M20×100
350 × 150	306,460	146.0	300.0	110	450	602	6-19	8-M20×100	20-M20×100
350 × 200	310,620	170.0	320.0	130	550	702	8-19	10-M20×100	20-M20×100
350 × 250	465,840	207.0	340.0	150	550	702	8-23	10-M20×100	20-M20×100
350 × 300	1,199,810	252.0	350.0	160	800	952	10-23	16-M20×100	20-M20×100
350 × 350	1,248,460	250.0	350.0	160	800	952	10-25	16-M20×100	20-M20×100
400 × 75	339,930	145.0	315.5	100	450	620	4-19	8-M20×110	24-M20×110
400 × 100	352,790	167.0	315.5	100	450	620	4-19	8-M20×110	24-M20×110
400 × 150	373,150	153.8	330.5	115	450	620	6-19	8-M20×110	24-M20×110
400 × 200	380,630	191.0	345.5	130	550	720	8-19	10-M20×110	24-M20×110
400 × 250	592,730	253.0	365.5	150	550	720	8-23	10-M20×110	24-M20×110
400 × 300	617,430	256.0	365.5	150	550	720	10-23	10-M20×110	24-M20×110
400 × 350	1,350,960	305.0	375.5	160	800	970	10-25	16-M20×110	24-M20×110
400 × 400	1,411,230	300.0	375.5	160	800	970	12-25	16-M20×110	24-M20×110
450 × 75	379,360	259.0	346.0	105	450	618	4-19	8-M20×110	24-M20×110
450 × 100	396,340	266.0	346.0	105	450	618	4-19	8-M20×110	24-M20×110
450 × 150	411,300	268.0	361.0	120	450	618	6-19	8-M20×110	24-M20×110
450 × 200	430,600	292.0	371.0	130	600	768	8-19	12-M20×110	24-M20×110
450 × 250	610,980	321.0	391.0	150	600	768	8-23	12-M20×110	24-M20×110
450 × 300	644,370	314.0	391.0	150	600	768	10-23	12-M20×110	24-M20×110
450 × 350	1,696,090	322.0	401.0	160	600	768	10-25	12-M20×110	24-M20×110
450 × 400	1,774,450	390.0	401.0	160	1000	1168	12-25	20-M20×110	24-M20×110
450 × 450	1,846,610	395.0	401.0	160	1000	1168	12-27	20-M20×110	24-M20×110
500 × 75	520,150	283.0	371.5	105	450	616	4-19	8-M20×110	28-M20×110
500 × 100	527,000	290.0	371.5	105	450	616	4-19	8-M20×110	28-M20×110
500 × 150	542,310	292.0	386.5	120	450	616	6-19	8-M20×110	28-M20×110
500 × 200	553,000	345.0	397.0	130	600	766	8-19	12-M20×110	28-M20×110
500 × 250	800,840	351.0	417.0	150	600	766	8-23	12-M20×110	28-M20×110
500 × 300	847,890	355.0	417.0	150	600	766	10-23	12-M20×110	28-M20×110
500 × 350	885,640	383.0	427.0	160	750	916	10-25	16-M20×110	28-M20×110
500 × 400	1,822,200	386.0	427.0	160	750	916	12-25	16-M20×110	28-M20×110
500 × 450	1,978,220	430.0	437.0	170	1000	1166	12-27	20-M20×110	28-M20×110
500 × 500	2,006,840	450.0	437.0	170	1000	1166	12-27	20-M20×110	28-M20×110
600 × 75	606,470	330.0	428.0	110	450	634	4-19	8-M24×120	28-M20×120
600 × 100	613,720	338.0	428.0	110	450	634	4-19	8-M24×120	28-M20×120
600 × 150	629,680	342.0	438.0	120	450	634	6-19	8-M24×120	28-M20×120
600 × 200	638,380	372.0	453.0	135	600	784	8-19	10-M24×120	28-M20×120
600 × 250	945,020	378.0	468.0	150	600	784	8-23	10-M24×120	28-M20×120
600 × 300	999,880	384.0	468.0	150	600	784	10-23	10-M24×120	28-M20×120
600 × 350	1,044,440	448.0	478.0	160	800	984	10-25	16-M24×120	28-M20×120
600 × 400	1,335,150	476.0	482.0	160	800	984	12-25	16-M24×120	28-M20×120
600 × 450	1,566,440	498.0	492.0	170	800	984	12-27	16-M24×120	28-M20×120
600 × 500	2,914,410	520.0	497.0	175	1200	1384	12-27	20-M24×120	28-M20×120
600 × 600	2,985,230	530.0	502.0	180	1200	1384	16-27	20-M24×120	28-M20×120

*標準で付属しているボルト・ナットは合金ボルトです。

割T字管B型 塩化ビニル管・鋼管用 BV-P・BS-P




〈ダクタイル鋳鉄製・分岐部パッキン〉

(mm)

呼び径	価格(円)	重量(kg)	S	S1	L	N-E	T頭ボルト・ナット
75 × 75	77,650	15.68	122.5	76.5	300	4-19	6-M16×85
100 × 75	85,160	19.26	138.0	80.0	300	4-19	6-M20×90
100 × 100	103,830	20.21	128.0	70.0	340	4-19	6-M20×90
125 × 75	95,880	21.71	151.5	80.0	300	4-19	6-M20×90
125 × 100	111,800	23.36	141.5	70.0	340	4-19	6-M20×90
150 × 75	103,540	22.00	169.0	85.0	300	4-19	6-M20×90
150 × 100	118,560	24.84	159.0	75.0	340	4-19	6-M20×90
150 × 150	148,290	33.31	194.0	110.0	450	6-19	8-M20×90
200 × 75	152,440	25.81	199.5	90.0	300	4-19	6-M20×90
200 × 100	162,510	26.97	194.5	85.0	340	4-19	6-M20×90
200 × 150	174,280	42.80	219.5	110.0	450	6-19	8-M20×90
200 × 200	201,110	51.50	204.5	95.0	500	8-19	8-M20×100

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

割T字管M型 配水用ポリエチレン管用 MP 標準GF



〈ダクタイル鋳鉄製・全周パッキン〉

(mm)


呼び径	価格(円)	重量(kg)	S	S1	L	L1	N-E	A T頭ボルト・ナット	B T頭ボルト・ナット
75 × 75	156,010	30.00	135	90.0	386	440	4-19	8-M16×85	8-M16×65
100 × 75	177,430	40.00	140	77.5	424	470	4-19	8-M16×85	12-M16×65
100 × 100	193,820	41.40	150	87.5	424	470	4-19	8-M16×85	12-M16×65
150 × 75	219,230	52.40	175	85.0	488	528	4-19	10-M16×85	16-M16×65
150 × 100	230,790	55.20	175	85.0	488	528	4-19	10-M16×85	16-M16×65
150 × 150	253,170	57.40	205	115.0	488	528	6-19	10-M16×85	16-M16×65
200 × 75	401,340	65.00	215	90.0	507	548	4-19	8-M20×100	16-M20×65
200 × 100	422,040	68.00	215	90.0	507	548	4-19	8-M20×100	16-M20×65
200 × 150	450,150	81.00	240	115.0	607	648	6-19	12-M20×100	16-M20×65
200 × 200	467,040	83.00	240	115.0	607	648	8-19	12-M20×100	16-M20×65

*穿孔工事が特殊な為、事前にお問い合わせ願います。

*標準はGFです。フランジ接合材は別途ご用意ください

*標準付属しているボルト・ナットはAB共に合金フッ素樹脂塗装ボルトです。

割T字管B型 BC/01ダクタイル鋳鉄管用 BB/01鋳鉄管(吋管)用 BV/01硬質塩化ビニル管用 BS/01鋼管用 BA/01石綿管用



〈鋼板製・分岐部パッキン〉

(mm)

呼び径	価格(円)	S						S1	L	T頭ボルト・ナット
		鋳鉄管2吋	鋳鉄管1.5吋	鋼管	塩ビ管	石綿管(新管)	石綿管(旧管)			
250(10B) × 75	177,960	257.0	262.5	255.0	255.0	272.0	275.0	120	360	8-M20×90
250(10B) × 100	197,160	257.0	262.5	255.0	255.0	272.0	275.0	120	450	10-M20×90
250(10B) × 150	205,920	267.0	272.5	265.0	265.0	282.0	285.0	130	450	10-M20×90
250(10B) × 200	282,710	267.0	272.5	265.0	265.0	282.0	285.0	130	600	12-M20×100
250(10B) × 250	456,400	287.0	292.5	※	※	※	※	150	700	12-M20×100
300(12B) × 75	189,930	282.5	289.0	280.5	280.5	300.0	304.0	120	360	8-M20×90
300(12B) × 100	209,660	282.5	289.0	280.5	280.5	300.0	304.0	120	450	10-M20×90
300(12B) × 150	235,610	292.5	299.0	290.5	290.5	310.0	314.0	130	450	10-M20×90
300(12B) × 200	295,490	292.5	299.0	290.5	290.5	310.0	314.0	130	600	12-M20×100
300(12B) × 250	493,530	312.5	319.0	310.5	310.5	330.0	334.0	150	700	12-M20×100
300(12B) × 300	562,200	312.5	319.0	※	※	※	※	150	800	16-M20×100
350(14B) × 75	232,190	308.5	316.0	299.0	306.5	330.0	335.0	120	360	8-M20×90
350(14B) × 100	240,120	308.5	316.0	299.0	306.5	330.0	335.0	120	450	10-M20×90
350(14B) × 150	250,070	318.5	326.0	309.0	316.5	340.0	345.0	130	450	10-M20×90
350(14B) × 200	312,190	318.5	326.0	309.0	316.5	340.0	345.0	130	600	12-M20×100
350(14B) × 250	509,560	338.5	346.0	329.0	336.5	360.0	365.0	150	700	12-M20×100
350(14B) × 300	603,550	338.5	346.0	329.0	336.5	360.0	365.0	150	800	16-M20×100
350(14B) × 350	689,050	348.5	356.0	※	※	※	※	160	900	16-M20×100
400(16B) × 75	257,650	334.0	342.5	324.5	331.5	360.0	365.0	120	360	8-M20×90
400(16B) × 100	273,490	334.0	342.5	324.5	331.5	360.0	365.0	120	450	10-M20×90
400(16B) × 150	286,230	344.0	352.5	334.5	341.5	370.0	375.0	130	450	10-M20×90
400(16B) × 200	324,350	344.0	352.5	334.5	341.5	370.0	375.0	130	600	12-M20×100
400(16B) × 250	525,610	364.0	372.5	354.5	361.5	390.0	395.0	150	700	12-M20×100
400(16B) × 300	643,740	364.0	372.5	354.5	361.5	390.0	395.0	150	800	16-M20×100
400(16B) × 350	700,700	374.0	382.5	364.5	371.5	400.0	405.0	160	900	16-M20×100
400(16B) × 400	786,850	374.0	382.5	※	※	※	※	160	1000	20-M20×100
450(18B) × 75	282,040	360.0	369.0	350.0	356.5	389.0	394.0	120	360	8-M20×90
450(18B) × 100	298,940	360.0	369.0	350.0	356.5	389.0	394.0	120	450	10-M20×90
450(18B) × 150	309,860	370.0	379.0	360.0	366.5	399.0	404.0	130	450	10-M20×90
450(18B) × 200	335,890	370.0	379.0	360.0	366.5	399.0	404.0	130	600	12-M20×100
450(18B) × 250	562,110	390.0	399.0	380.0	386.5	419.0	424.0	150	700	12-M20×100
450(18B) × 300	681,560	390.0	399.0	380.0	386.5	419.0	424.0	150	800	16-M20×100
450(18B) × 350	730,390	400.0	409.0	390.0	396.5	429.0	434.0	160	900	16-M20×100
450(18B) × 400	862,730	400.0	409.0	390.0	396.5	429.0	434.0	160	1000	20-M20×100
450(18B) × 450	1,085,470	410.0	419.0	※	※	※	※	170	1200	20-M20×100
500(20B) × 75	394,990	385.5	396.0	375.5	381.5	418.0	423.0	120	360	8-M20×90
500(20B) × 100	406,980	385.5	396.0	375.5	381.5	418.0	423.0	120	450	10-M20×90
500(20B) × 150	428,340	395.5	406.0	385.5	391.5	428.0	433.0	130	450	10-M20×90
500(20B) × 200	445,430	395.5	406.0	385.5	391.5	428.0	433.0	130	600	12-M20×100
500(20B) × 250	613,590	415.5	426.0	405.5	411.5	448.0	453.0	150	700	12-M20×100
500(20B) × 300	764,930	415.5	426.0	405.5	411.5	448.0	453.0	150	800	16-M20×100
500(20B) × 350	801,940	425.5	436.0	415.5	421.5	458.0	463.0	160	900	16-M20×100
500(20B) × 400	933,060	425.5	436.0	415.5	421.5	458.0	463.0	160	1000	20-M20×100
500(20B) × 450	1,183,990	435.5	446.0	425.5	431.5	468.0	473.0	170	1200	20-M20×100
500(20B) × 500	1,384,520	445.5	456.0	※	※	※	※	180	1200	20-M20×100
600(24B) × 75	465,740	437.0	448.5	426.5	433.5	477.0	482.0	120	360	8-M20×90
600(24B) × 100	484,890	437.0	448.5	426.5	433.5	477.0	482.0	120	450	10-M20×90
600(24B) × 150	494,470	447.0	458.5	436.5	443.5	487.0	492.0	130	450	10-M20×90
600(24B) × 200	521,710	447.0	458.5	436.5	443.5	487.0	492.0	130	600	12-M20×100
600(24B) × 250	699,560	467.0	478.5	456.5	463.5	507.0	512.0	150	700	12-M20×100
600(24B) × 300	807,220	467.0	478.5	456.5	463.5	507.0	512.0	150	800	16-M20×100
600(24B) × 350	826,790	477.0	488.5	466.5	473.5	517.0	522.0	160	900	16-M20×100
600(24B) × 400	1,006,590	477.0	488.5	466.5	473.5	517.0	522.0	160	1000	20-M20×100
600(24B) × 450	1,209,080	487.0	498.5	476.5	483.5	527.0	532.0	170	1200	20-M20×100
600(24B) × 500	1,553,110	497.0	508.5	556.5	563.5	537.0	542.0	180	1200	20-M20×100
700(27B) × 75	496,740	488.0	499.5	477.0	484.5	527.0	532.0	120	360	8-M20×90
700(27B) × 100	511,900	488.0	499.5	477.0	484.5	527.0	532.0	120	450	10-M20×90
700(27B) × 150	526,520	498.0	509.5	487.0	494.5	537.0	542.0	130	450	10-M20×90
700(27B) × 200	550,690	498.0	509.5	487.0	494.5	537.0	542.0	130	600	12-M20×100
700(27B) × 250	749,060	518.0	529.5	507.0	514.5	547.0	552.0	150	700	12-M20×100
700(27B) × 300	976,820	518.0	529.5	507.0	514.5	547.0	552.0	150	800	16-M20×100
700(27B) × 350	1,009,880	528.0	539.5	517.0	524.5	557.0	562.0	160	900	16-M20×100
700(27B) × 400	1,088,460	528.0	539.5	517.0	524.5	557.0	562.0	160	1000	20-M20×100
700(27B) × 450	1,236,550	538.0	549.5	527.0	534.5	567.0	572.0	170	1200	20-M20×100
700(27B) × 500	1,554,090	548.0	559.5	527.0	534.5	567.0	572.0	180	1200	20-M20×100
800(30B) × 75	557,720	539.5	550.5	527.5	534.5	567.0	572.0	120	360	8-M20×90
800(30B) × 100	561,750	539.5	550.5	527.5	534.5	567.0	572.0	120	450	10-M20×90
800(30B) × 150	575,800	549.5	560.5	537.5	544.5	577.0	582.0	130	450	10-M20×90
800(30B) × 200	610,930	549.5	560.5	537.5	544.5	577.0	582.0	130	600	12-M20×100
800(30B) × 250	771,970	569.5	580.5	557.5	564.5	587.0	592.0	150	700	12-M20×100
800(30B) × 300	1,027,660	569.5	580.5	557.5	564.5	587.0	592.0	150	800	16-M20×100
800(30B) × 350	1,064,860	579.5	590.5	567.5	574.5	597.0	602.0	160	900	16-M20×100
800(30B) × 400	1,390,630	579.5	590.5	567.5	574.5	597.0	602.0	160	1000	20-M20×100
800(30B) × 450	1,507,140	589.5	600.5	577.5	584.5	607.0	612.0	170	1200	20-M20×100
800(30B) × 500	1,729,610	599.5	610.5	587.5	594.5	617.0	622.0	180	1200	20-M20×100

*標準で付属しているボルト・ナットは酸化被膜ボルトです。

*※はお問い合わせ下さい。